

# Table of Contents

## Fluorescent Electromagnetic Ballasts Section 1- Page

|   |      |
|---|------|
| Product Overview .....                  | 1-2  |
| Application Operation Information ..... | 1-4  |
| Typical Specifications.....             | 1-8  |
| Lead Lengths .....                      | 1-9  |
| T8 (265 mA).....                        | 1-10 |
| T12 .....                               | 1-11 |
| T12 High Output .....                   | 1-13 |
| T12 Very High Output.....               | 1-17 |
| Circline .....                          | 1-18 |
| T12 Slimline.....                       | 1-19 |
| Preheat and Trigger Start .....         | 1-21 |
| Export .....                            | 1-25 |
| Dimming .....                           | 1-29 |
| Export .....                            | 1-30 |

## Fluorescent Electronic Ballasts Section 2- Page

|  |      |
|--|------|
| Product Overview .....                             | 2-2  |
| Application Operation Information .....            | 2-4  |
| Typical Specifications.....                        | 2-7  |
| F17T8 .....  | 2-14 |
| F25T8 .....  | 2-16 |
| F32T8 (32, 30, 25 & 28 Watt Four Foot Lamps) ..... | 2-19 |
| F40T8 .....  | 2-31 |
| F96T8 Slimline .....                               | 2-33 |
| F96T8HO High Output.....                           | 2-34 |
| T5 .....   | 2-35 |
| T5HO .....   | 2-37 |
| T12 .....  | 2-39 |
| T12 Slimline.....                                  | 2-41 |
| T12HO High Output .....                            | 2-43 |
| T2 .....   | 2-44 |

## Energy Management Systems Section 3- Page

### --DCL With DEMANDflex

|                                    |     |
|------------------------------------|-----|
| Product Overview .....             | 3-2 |
| DemandFlex T8 .....                | 3-3 |
| DemandFlex T5, T5HO & TT5 .....    | 3-6 |
| DemandFlex T8 Wiring Diagram ..... | 3-7 |

## Controllable Lighting Section 3- Page

### --Fluorescent Energy Management/Dimming Ballasts and Controls

|  |      |
|--|------|
| Product Overview .....                     | 3-10 |
| Ballastar® Light Level Switching .....     | 3-10 |
| SuperDim® Analog Dimming .....             | 3-11 |
| DaliPro™ Digital Dimming .....             | 3-13 |
| Application Operation Information.....     | 3-14 |
| Controls for Analog Dimming Ballasts ..... | 3-15 |
| DaliPro®.....                              | 3-16 |
| SuperDim® .....                            | 3-17 |
| Ballastar® 0-10 Volt.....                  | 3-18 |
| Ballastar® Light Level Switching .....     | 3-19 |

# Table of Contents

## Compact Fluorescent Ballasts Section 4- Page

|  |      |
|--|------|
| Product Overview .....                             | 4-2  |
| Understanding Compact Fluorescent Technology ..... | 4-3  |
| Configurations .....                               | 4-4  |
| Lamp Matrix .....                                  | 4-5  |
| Typical Specifications.....                        | 4-6  |
| Nomenclature .....                                 | 4-7  |
| 5-13 Watt Twin, Quad and Triple .....              | 4-8  |
| 18 Watt Twin, Quad and Multiple .....              | 4-10 |
| 26-28 Watt Quad and Triple .....                   | 4-11 |
| 32 to 70 Watt Triple and Multiple .....            | 4-12 |
| 2D and T5 Circular .....                           | 4-14 |
| Long Twin T5 .....                                 | 4-18 |

## High Intensity Discharge (HID) Ballasts Section 5- Page

|  |      |
|--|------|
| Product Overview .....                     | 5-3  |
| Oil Filled Capacitors .....                | 5-5  |
| Dry Capacitors .....                       | 5-7  |
| Bracket Reference Chart.....               | 5-9  |
| Application and Operation Information..... | 5-10 |
| Nomenclature .....                         | 5-13 |
| Typical Specifications.....                | 5-14 |
| Distributor Replacement Kits .....         | 5-15 |
| Core and Coil                              |      |
| Metal Halide .....                         | 5-19 |
| Pulse Start Metal Halide .....             | 5-23 |
| High Pressure Sodium.....                  | 5-30 |
| 50 Hz Core and Coil Ballasts .....         | 5-34 |
| F-Can Ballast.....                         | 5-36 |
| Potted Core and Coil.....                  | 5-39 |
| Indoor Encased.....                        | 5-40 |
| Ignitors.....                              | 5-41 |
| Reference Drawings.....                    | 5-43 |

## Electronic High Intensity Discharge (eHID) Ballasts Section 6- Page

|  |     |
|--|-----|
| Product Overview .....                     | 6-2 |
| Product Family Chart.....                  | 6-3 |
| Wiring Diagrams.....                       | 6-4 |
| Dimensions.....                            | 6-5 |
| Application and Operation Information..... | 6-7 |

## Sign Ballasts Section 7- Page

|   |     |
|---|-----|
| Application and Operation Information.....      | 7-2 |
| Sign Ballast Footage Chart & Lead Lengths ..... | 7-3 |
| Standard .....                                  | 7-4 |
| Max-3 Series .....                              | 7-5 |
| SIGNA Electronic Sign Ballasts .....            | 7-6 |

# Table of Contents

---

|                 |                 |
|-----------------|-----------------|
| <b>Glossary</b> | Section 8- Page |
| .....           | 8-1             |
| <b>Index</b>    | Section 9- Page |
| .....           | 9-1             |
| <b>Warranty</b> | Section 10-Page |
| .....           | 10-1            |